


BUILT-IN CLAMPING HEAD RESK

The built-in clamping head RESK is a universally usable interface for the easy and quick connection of machine components in a minimum amount of space, such as milling heads, machine tables and forming tools. It will convince you with its high pull-in forces and extremely compact design, as well as its process reliability.

ADVANTAGES AT A GLANCE

- ⊕ Superior process reliability due to innovative design
- ⊕ High pull-in forces with extremely compact design due to power transmission in the clamping set
- ⊕ Integrated locking system maintains the clamping force without applied hydraulic pressure



Built-in clamping head RESK



APPLICATION

Change interface for machine components.

TYPE

Clamping and release are hydraulic.
Mechanically locking.


After clamping, the system remains securely locked, even without hydraulic pressure.

CUSTOMER BENEFITS

- ③ Maximum process reliability due to innovative design without wedge gear
- ③ High pull-in forces with extremely compact design due to power transmission in the clamping set
- ③ Integrated locking system maintains the clamping force, even without hydraulic pressure applied

TECHNICAL FEATURES

- Centering must be ensured with additional elements, if required



C 15

Built-in clamping head RESK, change interface for machine components

Item no.	1191061 ▲	1191063 ▲
Size	30	50
D1 mm	Ø 36	Ø 55,5
D2 mm	Ø 38	Ø 58
G1	M42x1,5	M62x1,5
G2	M42x1,5	M62x1,5
L1 mm	69,6	101
L2 mm	29	40
L4 mm	21	35,5
L5 mm	16	27
Clamping force kN	30	50
Operating pressure bar	100	80

Accessories built-in clamping head RESK



C 15
Adaptor ring

Item no.	Size	D2 mm	G2	L2 mm	L4 mm
1196524 ▲	30	Ø 38	M42x1,5	16	21
1195390 ▲	50	Ø 58	M62x1,5	27	35,5

C 15
Installation wrench

Item no.	Size
1296114 ▲	30
1296115 ▲	50